


P5™

EN

PRODUCTION EXCELLENCE



P5 500

The pinnacle level in wide format printing.



For more information, please visit
durstus.com/large-format/p5-500

durst

P5 500

The 5-meter LED printer for efficient unattended production.

Data backprinter

- > QR/barcode printing
- > In combination with H-Cut

P5 Technology

- > Ricoh GEN5 printheads
- > LED curing
- > Light colors, white, varnish

Multiroll

- > Dual/triple roll option
- > Asymmetrical dual roll option



Double sided printing

- > Front and back registration
- > For single, dual and triple roll

Retractable mesh printing system

- > Motorized belt for printing mesh media
- > Easy media handling
- > Fast media change



Finishing system

- > V-Cut
- > H-Cut
- > Continuous printing while cutting
- > Roll to sheet function

Robustness

- > Unattended printing
- > 24/7 reliability

Easy media handling

- > Roll support for easy media loading
- > Roll tool for axle feeding
- > Built-in high effective lightbox

VIRTUAL SHOWROOM

More details, live demos, print samples.
durstus.com/large-format/p5-500



CONFIGURATIONS & TECHNICAL DATA

P5 500i

- > 4 colors CMYK
- > 8 color channels
- > Integrated mesh printing system
- > Tools for easy media handling

Optional colors:

- > Light colors (c,m,k)
- > Spot colors (white, varnish)

Optional features:

- > Dual roll
- > Dual/triple – asymmetrical dual roll
- > Finishing system
 - V-Cut (cutting knives for vertical cutting)
 - H-Cut (roller blade for horizontal cutting)
- > Data back printer – in combination with H-Cut
- > Double sided printing registration

P5 500

- > 4 colors CMYK
- > 8 color channels
- > Tools for easy media handling

Optional colors:

- > Light colors (c,m,k)
- > Spot colors (white, varnish)

- > Data back printer – in combination with H-Cut
- > Double sided printing registration

GENERAL TECHNICAL DATA

Resolution		700x1200 dpi; 900x1200 dpi
Drop size		7 pl
Color channels		up to 8
Max. printing width		5240 mm
Max roll width	Single	5240 mm
	Dual symmetrical	2500 mm
	Dual asymmetrical	3200 mm + 1625 mm
	Triple	1625 mm
Max. roll diameter		350 mm
Max. roll weight	Single	270/245 kg with carbon axle/with aluminum axle
	Dual	280 kg
	Triple	280 kg

Durst Group AG, Headquarters

Julius-Durst-Str. 4, 39042 Brixen, Italy

P +39 0472 810111, info@durst-group.com

durst-group.com

durst